

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A medical system for analyzing a sample comprising:
a first control level having at least one level-1 controller for moving through a sequence of first level states each associated with a unique first state index number, the first control level generating a first level command associated with one of the first level states; and
a second control level having a level-2 controller for moving through a sequence of second level states each associated with a unique second state index number in response to the first level command and for sending a status report to the first control level when a level-2 condition that is defined in one of the second level states is fulfilled;
wherein at least one of the first controller and the second controller sending or receiving signals to or from components of a medical system in response to the moving through the sequence of the first or second level states for controlling or sensing a status of the components.
2. (Original) The system of claim 1, wherein the second control level comprises a plurality of level-2 controllers including the level-2 controller, and wherein the first level command is targeted to the level-2 controller.
3. (Original) The system of claim 1, wherein the level-1 controller tests a level-1 condition that is defined in one of the first level states, and moves from the one first level state to another of the first level states in response to the status report and the testing.
4. (Original) The system of claim 1, wherein at least one of the level-1 controller and the level-2 controller directly controls a system component by issuing the first level command or a second level command, respectively.

5. (Original) The system of claim 4 further comprising a third control level interfacing between the second control level and the system component, wherein the third control level is designed for receiving at least one of the first level command and the second level command and translating the received command for the system component.

6. (Original) The system of claim 1 further comprising a processor for generating a level-1 controller table containing parameters, wherein the level-1 controller identifies the first level command associated with the one first level state by accessing the parameters in the level-1 controller table.

7. (Original) The system of claim 6 further comprising a user interface, wherein the parameters in the level-1 controller table are changeable by adjusting values in the user interface.

8. (Original) The system of claim 1, wherein the sequence of first level states comprises a plurality of sequences including the sequence, and wherein the level-1 controller selects, among the plurality of sequences, the sequence of first level states to move through in response to a host level command received from a host control level.

9. (Currently Amended) The system of claim 1, wherein the components of the medical system comprise ~~further comprising~~ sample aspiration components, flow cell components, transport mechanisms, and image acquisition components for urinalysis, the second control level comprising:

a first level-2 controller for controlling the sample aspiration components, wherein the first level-2 controller is the level-2 controller;

a second level-2 controller for controlling the flow cell components;

a third level-2 controller for controlling the transport mechanisms associated with sampling; and

a fourth level-2 controller for controlling the image acquisition components.

10. (Original) The system of claim 9 further comprising a pump, a valve, and a motor, wherein the pump, the valve, and the motor are controlled by the first level-2 controller.

11. (Currently Amended) The system of claim 9 further comprising a processor for generating a level-2 controller table containing second level commands, wherein the first level-2 controller controls the sample aspiration components according to the level-2 controller table, and wherein the level-2 controller table is indexed by the second ~~level-states~~ state index numbers.

12. (Original) The system of claim 11, wherein the level-2 controller table indicates which of the second level states to move through in response to the first level command.

13. (Currently Amended) The system of claim 11, wherein the level-2 controller table comprises:

rows indexed by the second ~~level-states~~ state index numbers;

a first set of columns indicating the second level commands;

a second set of columns indicating status reports including the status report;

a third set of columns indicating level-2 tests for checking if level-2 conditions including the level-2 condition are fulfilled; and

a fourth set of columns indicating one of the second level states to move to, wherein the one second level state depends on results of the level-2 tests.

14. (Currently Amended) The system of claim 13 further comprising a processor for generating a level-1 controller table, ~~wherein the level-1 controller table for the first control level substantially mirrors the level-2 controller table~~, the level-1 controller table comprising:

- rows indexed by the first level states state index numbers;
- a first set of columns indicating first level commands including the first level command;
- a second set of columns indicating status reports to be generated by the level-1 controller;
- a third set of columns indicating level-1 tests for checking if level-1 conditions are fulfilled; and
- a fourth set of columns indicating courses of action according to results of the tests.

15. (Original) The system of claim 9, wherein the first level-2 controller controls the sample aspiration components, wherein a subgroup of sample aspiration components are controlled by both the first and the second level-2 controllers.

16. (Original) The system of claim 9, wherein the flow cell comprise a valve and a pump for controlling flow of fluids.

17. (Original) The system of claim 9 further comprising a specimen rack for holding urinalysis samples, wherein the transport mechanisms comprise at least one of an arm, a motor, and a conveyor belt for transporting the specimen rack.

18. (Original) The system of claim 9 further comprising a processor for generating a level-2 controller table containing parameters, wherein the third level-2 controller controls the transport mechanisms according to the parameters in the level-2 controller table.

19. (Original) The system of claim 9, wherein the image acquisition components comprise a strobe bulb, a camera, and a motor.

20. (Original) The system of claim 1, wherein the level-1 controller, in response to a test result, performs one of the following:

proceeds from one of the first level states to another of the first level states;
proceeds to an idle state; and
generates an error signal depending on a result of a test.

21. (Original) The system of claim 20, wherein the test comprises obtaining a sensor reading and comparing the sensor reading to a reference value, and the result comprises relative magnitudes of the sensor reading and the reference value.

22. (Original) The system of claim 21 further comprising a nonvolatile memory containing the reference value, wherein the reference value is changeable by reprogramming of the nonvolatile memory.

23. (Original) The system of claim 21 further comprising a user interface, wherein the reference value is changeable through the user interface without overwriting a preprogrammed reference value.

24. (Original) The system of claim 1, wherein the second control level comprises a plurality of level-2 controllers including the level-2 controller, wherein each of the plurality of level-2 controllers is for moving through a unique sequence of second level states in response to the first level command, wherein the plurality of level-2 controllers move through their respective sequences asynchronously with respect to each other, and wherein the level-1 controller completes a first level state in response to the plurality of level-2 controllers' completion of their respective sequences of second level states.

25. (Original) The system of claim 24, wherein the plurality of level-2 controllers directly or indirectly control a system component.

Claims 26-36: (Withdrawn)

37. (Original) A system comprising:
a controller;
system components; and
a processor for generating a table for controlling the controller and the system components, the table comprising:
a first set of columns containing instructions in a first language that is not readable by the controller; and
a second set of columns containing instructions in a second language that is readable by the controller, wherein the instructions in the second set of columns are translated versions of the instructions in the first set of columns generated according to a program.

Claims 38-39: (Withdrawn)